

Stordalen Mire Bibliography

Stordalen Mire Bibliography

Papers about or with measurements within the Mire or where those measurements contributed substantially to the paper. Always looking to expand and improve the bibliography so if you know of appropriate papers (or errors, e.g. broken doi and missing MSc. and Ph.D. theses) please contact patrick.crill@geo.su.se

1910

Fries, T. and E. Bergström. 1910. Några iakttagelser öfver palsar och deras förekomst i nordligaste Sverige. Geologiska Föreningens Förhandlingar 32, 195-205.

1912

Andersson, G. & Birger, S. 1912. Den norrländska florans geografiska fördelning och invandringshistoria med särskild hänsyn till dess sydskanadinaviska arter. Norrländskt Handbibliotek 5: 416 pp Uppsala.

1946

Schytt, V. 1946. Namnformerna på den nya turistkartan över området Abisko-Riksgränsen. Till Fjälls 18: 66-68.

1950

Du Rietz, G.E. 1950. Phytogeographical Excursion to the Surroundings of Lake Torneträsk in Torne Lappmark (Northern Sweden) July 21 - August 2, 1950. Seventh Int. Bot. Congress, Sthlm 1950. Excursion Guides, C III c, Section: PHG: 19 pp Uppsala.

1951

Avery, G.S. Jr. 1951. Lappland - Magnificent and Strangely Interesting. Brooklyn Botanic Garden Record. Plants & Gardens. New Series 7(2): 76-83.

1952

Hedberg, O. 1952. Vegetation. In: Botanical investigations in the Pältsa region of northernmost Sweden. Chapter 3. Botaniska Notiser 3(2): 45-73. Lund.

1961

Persson, Å. 1961. Mire and spring vegetation in an area North of Lake Torneträsk. I. Description of vegetation. Opera Botanica 6(1): 1-187.

1962

Persson, Å. 1962. Mire and spring vegetation in an area North of Lake Torneträsk. II. Habitat conditions. Opera Botanica 6(3): 1-100.

1965

Forsgren, B. 1965. Några palsmyrar i Torne lappmark ur ekologisk och floristisk synpunkt. Univ. Stockholm, Department of Botany, 164 pp Stockholm.

1967

Sonesson, M. 1967. Studies on mire vegetation in the Torneträsk area, northern Sweden. I. Regional aspects. Botaniska Notiser 120: 272-296.

1968

Sonesson, M. 1968. Pollen zones at Abisko, Torne lappmark, Sweden. Botaniska Notiser 121: 491-500.

1969

Sonesson, M. 1969. Studies on mire vegetation in the Torneträsk area, northern Sweden. II. Winter conditions of the poor mire. Botaniska Notiser 122: 481-511.

Stordalen Mire Bibliography

1970

Bergman, H., Jonsson, S., Rosswall, T. & Sonesson, M. 1970. The Swedish Tundra Biome Project. A presentation. Swedish IBP Tundra Biome Project, Technical Report 1: 19 pp Lund

Sonesson, M. 1970. Studies on mire vegetation in the Torneträsk area, northern Sweden. IV. Some habitat conditions of the poor mire. *Botaniska Notiser* 123: 67-111.

Sonesson, M. 1970. Studies on mire vegetation in the Torneträsk area, Northern Sweden. III. Communities of the poor mire. *Opera Botanica* 26: 120 pp.

Sonesson, M. 1970. Ecologic Studies on poor Mire Vegetation in the Torneträsk Area, Northern Sweden. PhD thesis, Univ. Lund, Lund, Sweden, 6 pp. (A)

1972

Rosswall, T. and Berg, B. 1972. Decomposition of cellulose in laboratory pot experiments. In: Sonesson, M. (Ed.) Internationa. Biol. Progr. Tech. Rep. No. 14:142-153.

Schuer, H. & Modig, P.-H. 1972. Växtkemiska studier. Stordalen, augusti (1972). Univ. Lund, Dept. of Plant Ecology. 20 p-arbete., 15 pp Lund.

1973

Basilier, K. 1973. Investigations on nitrogen fixation in moss communities. Swedish IBP Tundra Biome Project, Technical Report 16: 83-95.

Clarholm, M. & Rosswall, T. 1973. A comparison of bacterial populations from four different tundra sites by means of a multi-point technique. Swedish IBP Tundra Biome Project, Technical Report 10: 32 pp Uppsala.

Granhall, U. and Selander, H. 1973. Nitrogen fixation in a subarctic mire. *Oikos* 24: 8-15.

Hayes, A.J. 1973. Studies in the microfungi occurring at Stordalen and Njulla, 1972. Swedish IBP Tundra Biome Project, Technical Report 15: 22 pp.

Rydén, B.E. 1973. Radiant energy and water temperature in relation to bryophyte growth within a tundra mire. Proc. of the 24th Alaskan Science Conference Climate of the Arctic, Alaska 1973: 6 pp Uppsala.

1974

Clarholm, M. 1974. Direct counts of bacteria in tundra peat for estimating generation time and biomass production. Swedish IBP Tundra Biome Project, Technical Report 16: 43-56.

Johansson, L. -G. 1974. Photosynthetic rates of some vascular plants on a subarctic mire at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 145-156. Lund.

Johansson, L. -G. 1974. The distribution and fate of ¹⁴C photoassimilates. Swedish IBP Tundra Biome Project, Technical Report 16: 165-172. Lund.

Johansson, L. -G. 1974. Chlorophyll content of four species of vascular plant at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 157-164 Lund.

Madsen, I.-L. & Widell, S. 1974. A vegetation map of the Stordalen site. Swedish IBP Tundra Biome Project, Technical Report 16: 3-15. Lund.

Stordalen Mire Bibliography

Rheinberg, P. 1974. Microfungal studies at Stordalen and Njulla 1973 - A summary. Swedish IBP Tundra Biome Project, Technical Report 16: 81-82.

Rosswall, T. 1974. Decomposition of plant litter at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 207-212.

Rosswall, T., Berg, B. & Lundkvist, H. 1974. Use of cellulose in field decomposition experiments. Swedish IBP Tundra Biome Project, Technical Report 16: 109-122.

Rosswall, T. & Geidnert, S. 1974. The influence of temperature and moisture on nitrogen mineralisation in peat. Swedish IBP Tundra Biome Project, Technical Report 16: 35-42.

Rosswall, T. & Svensson, B.H. 1974. Chemolithotrophic and photosynthetic bacteria at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 73-80 Lund.

Rydén, B.E. 1974. Bryophyte growth on a tundra mire in relation to radiant energy and water temperature. Swedish IBP Tundra Biome Project, Technical Report 16: 173-184.

Rydén, B.E. 1974. Abiotic studies, Stordalen 1973. Swedish IBP Tundra Biome Project, Technical Report 16: 185-202.

Sonesson, M. 1974. Late Quaternary forest development of the Torneträsk area, North Sweden. 2. Pollen analytical evidence. *Oikos* 25: 288-307.

Sonesson, M. & Johansson, S. 1974. Bryophyte Growth, Stordalen 1973. Swedish IBP Tundra Biome Project, Technical Report 16: 17-28.

Svensson, B.H. 1974. Production of methane and carbon dioxide from a subarctic mire. Swedish IBP Tundra Biome Project, Technical Report 16: 123-144 Lund.

1975

Hinneri, S., Sonesson, M. & Veum, A.K. 1975. Soils of Fennoscandian IBP Tundra Ecosystems. *Ecological Studies* 16(1): 31-40.

Rosswall, T., Flower-Ellis, J.G.K., Johansson, L. -G., Jonsson, S., Rydén, B.E. & Sonesson, M. 1975. Stordalen (Abisko), Sweden. *Ecological Bulletins* 20: 265-294.
<https://www.jstor.org/stable/45331782>

Rosswall, T. & Heal, O.W. (Eds). 1975. Structure and function of tundra ecosystems. Papers presented at the IBP Tundra Biome V. Int Meeting in Biological Productivity of Tundra, Abisko, Sweden. *Ecological Bulletins* 20: 450 pp.

Svensson, B.H., Veum, A.K. & Kjølvik, S. 1975. Carbon losses from tundra soils. In: Wielgolaski, F.E. (Ed) Fennoscandian Tundra Ecosystems. *Ecological Studies* 16: 279-286.

1976

Svensson, B.H. 1976. Methane Production in Tundra Peat. In: Microbial production and utilization of gases. Akademie der Wissenschaften zu Göttingen 1976: 135-139 Göttingen

1977

Klemedtsson, L., Svensson, B.H., Lindberg, T. & Rosswall, T. 1977. The use of acetylene inhibition of nitrous oxide reductase in quantifying denitrification. *Swedish Journal of Agriculture Research* 7: 179-185.

Stordalen Mire Bibliography

Rydén, B.E. & Kostov, L. 1977. Ground water and the water- frost cycle in a tundra mire. *Striae* 4: 17-19.

1978

Basilier, K., Granhall, U. and Stenstrom, T.-A. 1978. Nitrogen fixation in wet minerotrophic moss communities of a subarctic mire. *Oikos* 31: 236-246.

1979

Sonesson, M. 1979. Abisko Scientific Research Station: Environment and Research. *Holarctic Ecology* 2: 279-283.

1980

Johansson, L. -G and S. Linder. 1980. Photosynthesis of Sphagnum in different microhabitats on a subarctic mire. *Ecological Bulletins* 30: 181-190.

Kvillner, E. & Sonesson, M. 1980. Plant distribution and environment of a subarctic mire. *Ecological Bulletins* 30: 97-111.

Malmer, N. & Nihlgård, B. 1980. Supply and transport of mineral nutrients in a subarctic mire. *Ecological Bulletins* 30: 63-95.

Rosswall, T. & Granhall, U. 1980. Nitrogen cycling in a subarctic ombrotrophic mire. *Ecological Bulletins* 30: 209-234. <http://www.jstor.com/stable/20112774>

Sonesson, M. (Ed.). 1980. Ecology of a Subarctic Mire. *Ecological Bulletins* 30: 313 pp.

Sonesson, M. 1980. Klimatet och skogsgränsen i Abisko. *Fauna och flora* 75(1): 8-11.

Sonesson, M. & Bergman, H. 1980. Area-harvesting as a method of estimating phytomass changes in a tundra mire. *Ecological Bulletins* 30: 127-137.

Sonesson, M., Jonsson, S., Rosswall, T. & Rydén, B.E. 1980. The Swedish IBP/PT Tundra Biome Project. Objectives - planning - site. *Ecological Bulletins* 30: 7-25.

Sonesson, M. & Kvillner, E. 1980. Plant communities of the Stordalen mire - A comparison between numerical and non-numerical classification methods. *Ecological Bulletins* 30: 113-125.

Sonesson, M., Persson, S., Basilier, K. & Stenström, T.-A. 1980. Growth of *Sphagnum riparium* Ångstr. in relation to some environmental factors in the Stordalen mire. *Ecological Bulletins* 30: 191-207.

Svensson, B.H. 1980. Energy flow through the subarctic mire at Stordalen. *Ecological Bulletins* 30: 283-302.

Rydén, B.E. & Kostov, L. 1980. Thawing and freezing in tundra soils. *Ecological Bulletins* 30: 251-281.

Rydén, B.E., Kostov, L. & Fors, L. 1980. Physical properties of the tundra soil-water system at Stordalen, Abisko. *Ecological Bulletins* 30: 27-54.

Rydén, B.E. 1980. Climatic representativeness of a project period - epilogue of a tundra study. *Ecological Bulletins* 30: 55-62.

Svensson, B.H. 1980. Carbon dioxide and methane fluxes from the ombrotrophic parts of a

Stordalen Mire Bibliography

Subarctic mire. *Ecological Bulletins* 30: 235-250.

1981

Karlsson, P.S. & Sveinbjörnsson, B. 1981. Methodological comparison of photosynthetic rates measured by the $^{14}\text{CO}_2$ technique or infrared gas analysis. *Photosynthetica* 15(4): 447-452.

1984

Malmer, N. & Holm, E. 1984. Variation in the C/N-quotient of peat in relation to decomposition rate and age determination with ^{210}Pb . *Oikos* 43(2): 171-182.

Svensson, B.H. 1984. Different temperature optima for methane formation when enrichments from acid peat are supplemented with acetate or hydrogen. *Applied and Environmental Microbiology* 48(2): 389-394.

Svensson, B.H. & Rosswall, T. 1984. In situ methane production from acid peat in plant communities with different moisture regimes in a subarctic mire. *Oikos* 43:341-350.

1986

Malmer, N. & Wallén, B. 1986. Inorganic elements above and below ground in dwarf shrubs on a subarctic peat bog. *Oikos* 46(2): 200-206.

Wallén, B. 1986. Above and below ground dry mass of the three main vascular plants on hummocks on a subarctic peat bog. *Oikos* 46(1): 51-56.

1988

Malmer, N. 1988. Patterns in the growth and the accumulation of inorganic constituents in the Sphagnum cover on ombrotrophic bogs in Scandinavia. *Oikos* 53(1): 105-120.

1992

Aerts, R., Wallén, B. & Malmer, N. 1992. Growth-limiting nutrients in Sphagnum-dominated bogs subject to low and high atmospheric nitrogen supply. *Journal of Ecology* 80(1): 131-140.

Sonesson, M., Gehrke, C. & Tjus, M. 1992. CO₂ environment, microclimate and photosynthetic characteristics of the moss *Hylocomium splendens* in a subarctic habitat. *Oecologia* 92: 23-29.

Wallén, B. 1992. Methods for studying below-ground production in mire ecosystems. *Suo* 43(4-5): 155-162.

1996

Berglund, B.E., Barnekow, L., Hammarlund, D., Sandgren, P. & Snowball, I.F. 1996. Holocene forest dynamics and climate change in the Abisko area, northern Sweden - the Sonesson model of vegetation history reconsidered and confirmed. *Ecological Bulletins* 45: 15-30.

Jonasson, S., Lee, J.A., Callaghan, T.V., Havström, M. & Parsons, A.N. 1996. Direct and indirect effects of increasing temperatures on subarctic ecosystems. *Ecological Bulletins* 45: 180-191.

Jonasson, S. & Michelsen, A. 1996. Nutrient cycling in subarctic and arctic ecosystems, with special reference to the Abisko and Torneträsk region. *Ecological Bulletins* 45: 45-52.

Karlsson, P.S. & Callaghan, T.V. (Eds). 1996. Plant ecology in the subarctic Swedish Lapland. *Ecological Bulletins* 45, 227 pp.

Stordalen Mire Bibliography

Malmer, N. & Wallén, B. 1996. Peat formation and mass balance in subarctic ombrotrophic peatlands around Abisko, northern Scandinavia. *Ecological Bulletins* 45: 79-92.

1998

Christensen, T.R., Jonasson, S., Michelsen, A., Havström, M. & Callaghan, T.V. 1998. Environmental controls on soil respiration in the Eurasian and Greenlandic Arctic. *Journal of Geophysical Research* 103: 15-29.

Dahlberg, U., Bergstedt, J. & Pettersson, A. 1998. Fältinstruktion för, och erfarenhet från vegetationsinventering i Abisko, sommaren 1997. Sveriges Lantbruksuniversitet, Umeå, Arbetsrapport 32: 37s.

1999

Christensen, T.R. 1999. Potential and actual trace gas fluxes in Arctic terrestrial ecosystems. *Polar Research* 18(2): 199-206.

Shaver, G.R. & Jonasson, S. 1999. Response of Arctic ecosystems to climate change: results of long-term field experiments in Sweden and Alaska. *Polar Research* 18(2): 245-252.

Svensson, B.H., Christensen, T.R., Johansson, E. & Öquist, M. 1999. Interdecadal changes in CO₂ and CH₄ fluxes of a subarctic mire: Stordalen revisited after 20 years. *Oikos* 85(1): 22-30.

2001

Aerts, R., Wallén, B., Malmer, N. & Caluwe, H.de. 2001. Nutritional constraints on Sphagnum growth and potential decay in northern peatlands. *Journal of Ecology* 89 (2): 292-299.

2002

Christensen, T.R., Lloyd, D., Svensson, B., Martikainen, P.J., Harding, R., Oskarsson, H., Friborg, T., Soegaard, H. & Panikov, N. 2002. Biogenic controls on trace gas fluxes in northern wetlands. *Global Change NewsLetter* 51: 9-11, 14-15.

Sonesson, M., Carlsson, B.Å., Callaghan, T.V., Halling, S., Björn, L.O., Bertgren, M. & Johanson, U. 2002. Growth of two peat-forming mosses in subarctic mires: species interactions and effects of simulated climate change. *Oikos* 99 (1): 151-160.

Öquist, M. G., and B. H. Svensson, 2002. Vascular plants as regulators of methane emissions from a subarctic mire ecosystem, *Journal of Geophysical Research*, 107(D21), 4580, doi:10.1029/2001JD001030.

2004

Christensen, T.R., Johansson, T., Åkerman, H.J., Mastepanov, M., Malmer, N., Friborg, T., Crill, P. & Svensson, B.H. 2004. Thawing sub-arctic permafrost: Effects on vegetation and methane emissions. *Geophysical Research Letters*, Vol 31(60): 1-4

Olsrud, M. 2004. Mechanisms of below-ground carbon cycling in subarctic ecosystems. PhD-thesis. GeoBiosphere Science Centre. Physical Geography and Ecosystems Analysis. Lund University, Sweden. Meddelanden från Lunds Universitets Geografiska Institutioner. Avhandlingar. Nr 155. 36pp

Olsrud, M. & Christensen, T.R. 2004. Carbon cycling in subarctic tundra: seasonal variation in ecosystem partitioning based on in situ ¹⁴C pulse-labelling. *Soil Biology and Biochemistry* 36: 245-253

Stordalen Mire Bibliography

Olsrud, M., Melillo, J.M., Christensen, T.R., Michelsen, A., Wallander, H. & Olsson, P.A. 2004. Response of ericoid mycorrhizal colonization and functioning to global change factors. *New Phytologist* 162: 459-469

Ström, L. & Christensen, T. R. 2004. Myrens växter styr växthuseffekten. *Svensk Botanisk Tidskrift* 98 (6): 313-316

2005

Malmer, N., Johansson, T., Olsrud, M. & Christensen, T.R. 2005. Vegetation, climate changes and net carbon sequestration in a North-Scandinavian subarctic mire over 30 years. *Global Change Biology* 11: 1895-1909

2006

Johansson, M., Christensen, T.R., Åkerman, H.J. & Callaghan, T.V. 2006. What Determines the Current Presence or Absence of Permafrost in the Torneträsk Region, a Sub-arctic Landscape in Northern Sweden? *Ambio* 35(4): 190-197

Johansson, T. 2006. Temporal and spatial variability of carbon cycling in a subarctic landscape. PhD thesis. Geobiosfärvetenskap inriktning naturgeografi och ekosystemanalys. Meddelanden från Lunds universitets geografiska institution. Avhandlingar 166. Lund. 299pp

Johansson, T., Malmer, N., Crill, P.M., Friborg, Th., Åkerman, J.H., Mastepanov, M. & Christensen, T.R. 2006. Decadal vegetation changes in a northern peatland, green-house gas fluxes and net radiation forcing. *Global Change Biology* 12(12): 2352-2369

2007

Christensen, T.R. & Johansson, T. 2007. Stordalen: Vetenskapshistorisk lokal. *Miljöforskning* 1: 32-33

Christensen, T.R., Johansson, T., Olsrud, M., Ström, L., Lindroth, A., Mastepanov, M., Malmer, N., Friborg, T., Crill, P. & Callaghan, T.V. 2007. A catchment-scale carbon and greenhouse gas budget of a subarctic landscape. *Philosophical Transactions of the Royal Society A*. 365: 1643-1656

Ström, L. & Christensen, T.R. 2007. Below ground carbon turnover and greenhouse gas exchanges in a sub-arctic wetland. *Soil Biology and Biochemistry* 39: 1689-1698

2008

Bäckstrand, K. 2008. Carbon gas biogeochemistry of a northern peatland - in a dynamic permafrost landscape. PhD Thesis. Meddelanden från Stockholms universitets institution för geologi och geokemi. No. 333. 32pp

Bäckstrand, K. 2008. A Review: Fifty years of research at the subarctic Stordalen mire, northern Sweden. Manuscript. In: Bäckstrand, K. 2008. Carbon gas biogeochemistry of a northern peatland - in a dynamic permafrost landscape. PhD Thesis. Department of Geology and geochemistry, Stockholm University. 13pp

Bäckstrand, K., Crill, P.M., Mastepanov, M., Christensen, T.R. & Bastviken, D. 2008. Non-methane volatile organic compound flux from a subarctic mire in Northern Sweden. *Tellus B* 60(2): 226-237

Bäckstrand, K., Crill, P.M., Mastepanov, M., Christensen, T.R. & Bastviken, D. 2008. Total hydrocarbon flux dynamics at a subarctic mire in northern Sweden. *Journal of Geophysical Research* 113, G03026, doi:10.1029/2008JG000703. 16pp

Stordalen Mire Bibliography

Klaminder, J., Yoo, K., Rydberg, J. & Gielser, R. 2008. An explorative study of mercury export from a thawing palsa mire. *Journal of Geophysical Research* 113, G04034, doi: 10.1029/2008JG000776

Petrescu, A.M. R.J. van Huissteden, M. Jackowicz-Korczynski, A. Yurova, T.R. Christensen, P.M. Crill, K. Bäckstrand and T.C. Maximov (2008). Modelling CH₄ emissions from arctic wetlands: effects of hydrological parameterization. *Biogeosciences*, 5: 111–121.

Åkerman, H.J. & Johansson, M. 2008. Thawing permafrost and thicker active layers in Sub-arctic Sweden. *Permafrost and Periglacial Processes* 19(3): 279-292, doi:10.1002/ppp.626

2009

Aerts, R. 2009. Nitrogen supply effects on leaf dynamics and nutrient input into the soil of plant species in a sub-arctic tundra ecosystem. *Polar Biology* (2009) 32:207–214. Doi: 10.1007/s00300-008-0521-1

Christensen, T.R., Johansson, T., Olsrud, M., Ström, L., Lindroth, A., Mastepanov, M. Malmer, N., Friborg, Th., Crill, P.M. and Callaghan, T.V. 2009. A catchment scale process study of carbon and greenhouse gas exchange in a subarctic landscape. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds). Climate change impacts on subarctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 41-43

Crill, P. 2009. Fluxes and budgets, GHG feedbacks of palsa mires. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds) Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 27-29

Friborg, Th., Johansson, T., Jackowicz-Korczynski, M., Christensen, T.R. & Crill, P.M. 2009. Palsa-mires - CO₂ exchange from Stordalen mire. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds.). Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 36-40

Friedman, B., Herich, H., Kammermann, L., Gross, D.S., Arneth, A., Holst, T. & Cziczo, D.J. 2009. Subarctic atmospheric aerosol composition: 1. Ambient aerosol characterization. *Journal of Geophysical Research* 114, D13203, ddoi. 10.1029/2009JDO11772, 2009

Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds.). 2009. Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute. 3. 74pp

Hammarlund, D. & Kokfelt, U. 2009. A Holocene perspective on palsa mires in northern Fennoscandia with particular focus on Stordalen. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds.). Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 53-55

Stordalen Mire Bibliography

Jackowicz-Korczynski, M. 2009. Land-atmosphere interactions of a subarctic tundra mire. PhD Thesis. Geobiosphere Science Centre. Department of Physical Geography and Ecosystems Analysis. Lund University. Meddelanden från Lunds universitets geografiska institution. Avhandling 184. 21pp doi:
<https://www.lunduniversity.lu.se/lup/publication/5cbfba83-b313-46f6-a91e-586e0c33268f>

Jackowicz-Korczynski, M., Christensen, T.R., Friberg, Th., Crill, P.M. & Ström, L. 2009. CH₄ exchange over Stordalen mire by EC technique. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friberg, Th. & Luoto, M. (eds.). Climate change impacts on sub-arctic tundra mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Åsiko, Sweden 28-30 October 2008. Reports of Finnish Environment 3:32-35

Johansson, M. 2009. Changing lowland permafrost in northern Sweden: Multiple drivers of past and future changes. PhD Thesis. Geobiosphere Science Centre. Department of Physical Geography and Ecosystem Analysis. Lund University. Meddelanden från Lunds Universitets Geografiska Institution. Avhandlingar 180. 34pp doi:
<http://portal.research.lu.se/ws/files/5252499/1288755.pdf>

Kokfelt, U. 2009. Subarctic ecosystem responses to climate, catchment and permafrost dynamics in the Holocene. LUNDQUA Thesis 62. Quaternary Sciences. Department of Geology. Geobiosphere Science Centre. Lund University. 26pp
<http://portal.research.lu.se/ws/files/4066937/3162733.pdf>

Kokfelt, U., Rosén, P., Schoning, K, Christensen, T.R., Förster, J., Karlsson, J., Reuss, N., Rundgren, M., Callaghan, T.V., Jonasson, Ch., & Hammarlund, D. 2009. Ecosystem responses to increased precipitation and permafrost decay in subarctic Sweden inferred from peat and lake sediments. *Global Change Biology* 15(7): 1652-1663, doi:10.1111/j.1365-2486.2009.01880.x.

Kokfelt, U., Struyf, E. & Randsalu, L. 2009. Diatoms in peat - Dominant producers in a changing environment? Short communication. *Soil Biology and Biochemistry* 41: 1764-1766

Olsrud, M. & Michelsen, A. 2009. Effects of shading on photosynthesis, plant organic nitrogen uptake, and root fungal colonization in a subarctic mire ecosystem. *Botany* 87: 463-474. <https://doi.org/10.1139/B09-021>

Roehm CL, Giesler R, Karlsson J (2009) Bioavailability of terrestrial organic carbon to lake bacteria: the case of a degrading high-latitude boreal and Arctic permafrost mire complex. *Journal of Geophysical Research* 114. Art No G03006

Stark, H. 2009. Isoprene (C₅H₈) emission dynamics of a sub-arctic mire landscape and the influence of site, vegetation, net carbon dioxide (CO₂) exchange, and microclimate. Diplomarbeit. Inst. für Bodenkunde und Standortslehre. Fakultät Forst-, Geo- & Hydrowissenschaften. Technische Universität Dresden. 109pp

2010

Bäckstrand, K., P.M. Crill, M. Jackowicz-Korczynski, M. Mastepanov, T.R. Christensen and D. Bastviken. 2010. Annual carbon gas budget for a subarctic peatland, Northern Sweden. *Biogeosciences*, 7, 95-108. Doi: <https://doi.org/10.5194/bg-7-95-2010>

Callaghan, T. V., Bergholm, F., Christensen, T. R., Jonasson, C., Kokfelt, U., & Johansson, M. (2010). A new climate era in the sub-Arctic: Accelerating climate changes and multiple impacts. *Geophysical Research Letters*, 37. doi: <https://doi.org/10.1029/2009GL042064>

Stordalen Mire Bibliography

- Faubert, P., Tiiva, P., Rinnan, Å., Michelsen, A., Holopainen, J.K. & Rinnan, R. 2010. Doubled volatile organic compound emissions from subarctic tundra under simulated climate warming. *New Phytologist* 187: 199-208. <http://dx.doi.org/10.1111/j.1469-8137.2010.03270.x>
- Gavazov, K.S., N.A. Soudzilovskaia, R. S. P. van Logtestijn, M. Braster and J. H. C. Cornelissen 2010. Isotopic analysis of cyanobacterial nitrogen fixation associated with subarctic lichen and bryophyte species. *Plant and Soil* 333:507–517, doi: 10.1007/s11104-010-0374-6
- Holst, T., Arneth, A., Hayward, S., Ekberg, A., Mastepanov, M., Jackowicz-Korczynski, M., Friborg, T., Crill, P.M. & Bäckstrand, K. 2010. BVOC ecosystem flux measurements at a high latitude wetland site. *Atmospheric Chemistry and Physics* 10: 1617-1634
- Jackowicz-Korczynski, M., Christensen, T.R., Bäckstrand, K., Crill, P., Friborg, T., Mastepanov, M. & Ström, L. 2010. Annual cycle of methane emission from a subarctic peatland. *Journal of Geophysical Research*, 115, G02009, doi:10.1029/2008JG000913. 10pp
- Karlsson, J., Christensen, T.R., Crill, P., Förster, J., Hammarlund, D., Jackowicz-Korczynski, M., Kokfelt, U., Roehm, C. & Rosén, P. 2010. Quantifying the relative importance of lake emissions in the carbon budget of a subarctic catchment. *Journal of Geophysical Research* Vol 115, G03006, doi: 10.1029/2010JG001305, 2010
- Klaminder, J., D. Hammarlund, U. Kokfelt, J.E. Vonk and C. Bigler. 2010. Lead Contamination of Subarctic Lakes and Its Response to Reduced Atmospheric Fallout: Can the Recovery Process Be Counteracted by the Ongoing Climate Change? *Environmental Science and Technology* 44, 2335–2340. Doi: 10.1021/es903025z
- Kokfelt, U., Reuss, N., Struyf, E., Sonesson, M., Rundgren, M., Skog, G., Rosén, P. & Hammarlund, D. 2010. Wetland development, permafrost history and nutrient cycling inferred from late Holocene peat and lake sediment records in subarctic Sweden. *Journal of Paleolimnology*. 44: 327-342
- Rydberg, J., Klaminder, J., Rosén, P. & Bindler, R. 2010. Climate driven release of carbon and mercury from permafrost mires increases mercury loading to sub-arctic lakes. *Science of the Total Environment* 408: 4778-4783
- 2011**
- Bastviken, D., L.J. Tranvik, J.A. Downing, P.M. Crill and A. Enrich-Prast (2011). Freshwater methane emissions offset the continental carbon sink. *Science*, 311: 50.
- Olefeldt, D. (2011). Quantity and composition of waterborne carbon transport in subarctic catchments containing peatlands and permafrost. PhD thesis, Department of Geography, McGill University, Montréal, Canada. <https://escholarship.mcgill.ca/concern/theses/qz20sx992>
- Wik, M., Crill, P.M., Bastviken, D., Danielsson, Å. & Norbäck, E. 2011. Bubbles trapped in arctic lake ice: Potential implications for methane emissions. *Journal of Geophysical Research-Biogeosciences*, Vol.116, G03044, doi:10.1029/2011JG001761
- 2012**
- Boereboom, T. M. Depoorter, S. Coppens and J.-L. Tison, 2012. Gas properties of winter lake ice in Northern Sweden: implication for carbon gas release. *Biogeosciences*, 9, 827–838, doi:10.5194/bg-9-827-2012,

Stordalen Mire Bibliography

Christensen, T.R., Jackowicz-Korczynski, M., Aurela, M., Crill, P., Heliasz, M., Mastepanov, M. & Friborg, T. 2012. Monitoring the Multi-Year Carbon Balance of a Subarctic Palsa Mire with Micrometeorological Techniques. *Ambio* 41 (Supplementum 3): 207-217. DOI: 10.1007/s13280-012-0302-5

Hasan A., Pilesjö P., and Persson A. (2012): On generating digital elevation models from LiDAR data-resolution versus accuracy and topographic wetness index indices in northern peatlands. *Geodesy and Cartography*, 38(2):57-69, doi:10.3846/20296991.2012.702983

Jonasson, C., Sonesson, M., Christensen, T. R., & Callaghan, T. V. (2012). Environmental monitoring and research in the Abisko area—an overview. *Ambio*, 41, 178–186. <https://doi.org/10.1007/s13280-012-0301-6>

Lupascu M., Wadham J.L., Hornibrook E.R.C., and Pancost R.D. (2012): Temperature sensitivity of methane production in the permafrost active layer at Stordalen, Sweden: A comparison with non-permafrost northern wetlands. *Arctic, Antarctic, and Alpine Research*, 44:469-482

Olefeldt, D. & Roulet, N.T. 2012. Effects of permafrost and hydrology on the composition and transport of dissolved organic carbon in a subarctic peatland complex. *Journal of Geophysical Research* 117, G01005, 15pp. doi:10.1029/2011JG001819, 2012

Olefeldt, D., Roulet, N.T., Bergeron, O., Crill, P., Bäckstrand, K. & Christensen, T.R. 2012. Net carbon accumulation of a high-latitude permafrost palsa mire similar to permafrost-free peatlands. *Geophysical Research Letters* 39, L03501, 6pp doi:10.1029/2011GL050355, 2012

Olefeldt, D., Roulet, N.T., Giesler, R. & Persson, A. 2012. Total waterborne carbon export and DOC composition from ten nested subarctic peatland catchments - importance of peatland cover, groundwater influence, and inter-annual variability of precipitation patterns. *Hydrological Processes* (2012), 15pp. DOI:10.1002/hyp.9358

Olefeldt, D., M.R. Turetsky, P.M. Crill and A.D. McGuire (2012). Environmental and physical controls on northern terrestrial methane emissions across permafrost zones. *Global Change Biology*, doi:10.1111/gcb.12071.

Torbick, N., A. Persson, D. Olefeldt, S. Frohling, W. Salas, S. Hagen, P. Crill and C. Li (2012). High Resolution Mapping of Peatland Hydroperiod at a High-Latitude Swedish Mire. *Remote Sensing*, 4. 1974-1992, doi:10.3390/rs4071974

2013

Berg, A., Å. Danielsson and B.H. Svensson. (2013). Transfer of fixed-N from N₂-fixing cyanobacteria associated with the moss *Sphagnum riparium* results in enhanced growth of the moss. *Plant and Soil*, 362:271–278, doi: 10.1007/s11104-012-1278-4

Dengel S., Zona D., Sachs T., Aurela M., Jammert M., Parmentier F.J.W., Oechel W., and Vesala T. (2013): Testing the applicability of neural networks as a gap-filling method using CH₄ flux data from high latitude wetlands. *Biogeosciences*, 10:8185-8200, DOI:10.5194/bg-10-8185-2013

Feld, Tobias (2013). Decadal vegetation changes in a subarctic palsa mire. Master's thesis. Faculty of Science, University of Copenhagen, Denmark.

Horst, A, B.F. Thornton, H. Holmstrand, P. Andersson, P.M. Crill and Ö. Gustafsson (2013). Stable bromine isotopic composition of atmospheric CH₃Br. *Tellus B*, doi: 10.3402/tellusb.v65i0.21040

Stordalen Mire Bibliography

Karlsson, J., R. Giesler, J. Persson, and E. Lundin (2013), High emission of carbon dioxide and methane during ice thaw in high latitude lakes, *Geophysical Research Letters*, 40, doi:10.1002/grl.50152.

Lundin, E.J., R. Giesler, A. Persson, M.S. Thompson and J. Karlsson. 2013. Integrating carbon emissions from lakes and streams in a subarctic catchment, *Journal of Geophysical Research: Biogeosciences* 118, 1200–1207, doi:10.1002/jgrg.20092.

Mortazavi B., Wilson B.J., Dong F., Gupta M., and Baer D. (2013): Validation and application of cavity-enhanced, near-infrared tunable diode laser absorption spectrometry for measurements of methane carbon isotopes at ambient concentrations. *Environmental Science and Technology*, 47(20):11676-11684, DOI:10.1021/es402322x

Olefeldt D., Turetsky M.R., Crill P.M., and McGuire A.D. (2013): Environmental and physical controls on northern terrestrial methane emissions across permafrost zones. *Global Change Biology*, 19:589-603, DOI:10.1111/gcb.12071

Wik, M., Crill, P.M., Varner, R.K. & Bastviken, D. 2013. Multiyear measurements of ebullitive methane flux from three subarctic lakes. *Journal of Geophysical Research: Biogeosciences* 118: 1307-1321, doi: 10.1002/jgrg.20103, 2013

2014

Deng, J., C. Li, S. Frohling, Y. Zhang, K. Bäckstrand and P. Crill (2014). Assessing effects of permafrost thaw on C fluxes based on multiyear modeling across a permafrost thaw gradient at Stordalen, Sweden. *Biogeosciences*, 11: 4753–4770, doi:10.5194/bg-11-4753-2014

Giljum, M. (2014) Object-Based Classification of Vegetation at Stordalen Mire near Abisko by using High-Resolution Aerial Imagery. MSc thesis. Dept of Physical Geography and Ecosystem Science, Lund University. INES nr 323. <http://lup.lub.lu.se/student-papers/record/4679307>.

Hodgkins, S.B., Tfaily, M.M., McCalley, C.K., Logan, T.A., Crill, P.M., Saleska, S.R., Rich, V.I. & Chanton, J.P. 2014. Changes in peat chemistry associated with permafrost thaw increase green-house gas production. *PNAS* 11: 5819-5824

Horst, A., Thornton, B.F., Holmstrand, H., Andersson, P., Crill, P.M. & Gustafsson, Ö. (2014). Stable bromine isotopic composition of atmospheric CH₃Br. *Tellus B* 65, 21040, doi: 10.3402/tellusb.v65i0.21040

Krüger J.P., Leifeld J., and Alewell, C. (2014). Degradation changes stable carbon isotope depth profiles in peatlands. *Biogeosciences*, 11:3369-3380, DOI:10.5194/bg-11-3369-2014

Lupascu, M., J. L. Wadham, E. R. C. Hornibrook and R. D. Pancost (2014). Methanogen Biomarkers in the Discontinuous Permafrost Zone of Stordalen, Sweden. *Permafrost and Periglacial Processes* 25: 221–232 doi: 10.1002/ppp.1823

McCalley, C., B. Woodcroft, S. Hodgkins, R. Wehr, E. Kim, R. Mondav, P. Crill, J. Chanton, V. Rich, G. Tyson, and S.Saleska (2014). Methane dynamics regulated by microbial community response to permafrost thaw. *Nature*, doi:10.1038/nature13798.

Mondav, R., Woodcroft, B.J., Kim, E.-H., McCalley, C.K., Hodgkins, S.B., Crill, P.M., Chanton, J., Hurst, G.B., VerBerkmoes, N.C., Saleska, S.R., Hugenholtz, P., Rich, V.I. & Tyson, G.W. (2014). Discovery of a novel methanogen prevalent in thawing permafrost.

Stordalen Mire Bibliography

Nature Communications 5: 3212, doi: 10.1038/ncomms4212

Turetsky, M.R., A.Kotowska, J. Bubier, N.B. Dise, P.M. Crill, E. Hornibrook, K. Minkinen, T.R. Moore, I.H. Myers-Smith, H. Nykänen, D.Olefeldt, J. Rinne, S. Saarnio, N. Shurpali, J.M. Waddington, J. White, K. Wickland, M. Wilmking (2014). A synthesis of methane emissions from 71 northern, temperate, and 1 subtropical wetlands. *Global Change Biology* doi: 10.1111/gcb.12580.

Wik, M., Thornton, B.F., Bastviken, D., MacIntyre, S., Varner, R.K., Crill, P.M. 2014. Energy input is primary controller of methane bubbling in subarctic lakes. *Geophysical Research Letters* 41, doi: 10.1002/2013GL058510

Zhu Q., Liu J., Peng C., Chen H., Fang X., Jiang H., Yang G., Zhu D., Wang W., and Zhou X. (2014): Modelling methane emissions from natural wetlands: TRIPLEX-GHG model integration, sensitivity analysis, and calibration. *Geoscientific Model Development*, 7:981-999, DOI:10.5194/gmd-7-981-2014

2015

Hodgkins, S.B., J.P. Chanton, L.C. Langford, C.K. McCalley, S.R. Saleska, V.I. Rich, P.M. Crill, and W.T. Cooper. (2015). Soil incubations reproduce field methane dynamics in a subarctic wetland. *Biogeochemistry*, doi: 10.1007/s10533-015-0142-z

Jammet, M., P. Crill, S. Dengel and T. Friborg (2015). Large methane emissions from a subarctic lake during spring thaw: mechanisms and landscape significance. *Journal of Geophysical Research: Biogeosciences*, 120,2289-2305 doi: 10.1002/2015JG003137.

Malhotra A. and Roulet N. (2015): Environmental correlates of peatland carbon fluxes in a thawing landscape: do transitional thaw stages matter? *Biogeosciences*, 12:3119-3130, DOI:10.5194/bg-12-3119-2015.

Swindles, GT, MJ Amesbury, TE Turner, JL Carrivick, C Woulds, C Raby, D Mullan, TP Roland, JM Galloway, L Parry, U Kokfelt, M Garneau, DJ Charman, and J Holden (2015). Evaluating the use of testate amoebae for palaeohydrological reconstruction in permafrost peatlands. *Palaeogeology Palaeoclimatology Palaeoecology* 424: 111-122, doi: 10.1016/j.palaeo.2015.02.004.

Tang J., Miller P.A., Crill P.M., Olin S., and Pilesjö P. (2015): Investigating the influence of two different flow routing algorithms on soil-water-vegetation interactions using the dynamic ecosystem model LPJ-GUESS. *Ecohydrology*, 8:568-581, DOI:10.1002/eco.1526

Tang, J., P. A. Miller, A. Persson, D. Olefeldt, P. Pilesjö, M. Heliasz, M. Jackowicz-Korczynski, Z. Yang, B. Smith, T. V. Callaghan and T. R. Christensen. 2015. Carbon budget estimation of a subarctic catchment using a dynamic ecosystem model at high spatial resolution. *Biogeosciences*, 12, 2791-2808, doi.org/10.5194/bg-12-2791-2015.

Thompson, M.S., R. Giesler, J. Karlsson and J. Klaminder (2015) Size and Characteristics of the DOC Pool in Near-Surface Subarctic Mire Permafrost as a Potential Source for Nearby Freshwaters. *Arctic, Antarctic, and Alpine Research*, 47:1, 49-58, doi: 10.1657/AAAR0014-010.

Thornton, B.F., M. Wik and P.M. Crill (2015) Climate-forced changes in available energy and methane bubbling from subarctic lakes. *Geophysical Research Letters*. 42: 1936-1942, doi: 10.1002/2015GL063189.

2016

Stordalen Mire Bibliography

- Douglas, P. M. J., D.A.Stolper, K.M. Walter Anthony, C. Paull, S. Dallimore, M. Wik., P.M. Crill, M. Winterdahl, D.A.Smith, A.L. Sessions and J.E.Eiler (2016). Diverse origins of Arctic and Subarctic methane point source emissions identified with multiply-substituted isotopologues. *Geochimica et Cosmochimica Acta*, doi:10.1016/j.gca.2016.05.031.
- Hodgkins, S.B. (2016). Changes in Organic Matter Chemistry and Methanogenesis Due to Permafrost Thaw in a Subarctic Peatland. PhD Thesis. Dept. of Earth, Ocean and Atmospheric Science, Florida State University, Tallahassee, FL, USA, <http://fsu.digital.flvc.org/islandora/object/fsu%3A360372>.
- Hodgkins, S.B., M. Tfaily, D.C. Podgorski, C.K. McCalley, S.R. Saleska, P.M. Crill, V.I. Rich, J.P. Chanton and W.T. Cooper(2016). Elemental composition and optical properties reveal changes in dissolved organic matter along a permafrost thaw chronosequence in a subarctic peatland. *Geochimica et Cosmochimica Acta*, doi: 10.1016/j.gca.2016.05.015
- Kokfelt, U., R. Muscheler, A. Mellström, E. Struyf, M. Rundgren, S. Wastegård and D. Hammarlund (2016). Diatom blooms and associated vegetation shifts in a subarctic peatland: responses to distant volcanic eruptions?. *Journal of Quaternary Science*. **31** doi:10.1002/jqs.2898.
- Lundin, E. J., J. Klaminder, R. Giesler, A. Persson, D. Olefeldt, M. Heliasz, T. R. Christensen, and J. Karlsson (2016), Is the subarctic landscape still a carbon sink? Evidence from a detailed catchment balance, *Geophysical Research Letters*, **43**, 1988–1995, doi:10.1002/2015GL066970.
- Malhotra, A. (2016). Relating self-regulation with ecosystem structure and function in Northern Peatlands. PhD thesis, Department of Geography, McGill University, Canada <https://escholarship.mcgill.ca/concern/theses/3r074z002>
- Pirk, N., M. Mastepanov, F.-J. W. Parmentier, M. Lund, P. Crill and T. R. Christensen (2016). Calculations of automatic chamber flux measurements of methane and carbon dioxide using short time series of concentrations. *Biogeosciences*, **13**: 903-912.
- Stiegler, C., M. Johansson, T.R. Christensen, M. Mastepanov and A.Lindroth (2016). Tundra permafrost thaw causes significant shifts in energy partitioning, *Tellus B: Chemical and Physical Meteorology*, **68**:1, 30467, DOI: 10.3402/tellusb.v68.30467
- Thornton B.F., Wik M., and Crill P.M. (2016): Double-counting: a challenge to the accuracy of high-latitude methane inventories. *Geophysical Research Letters*,**43**:12569-12577, DOI:10.1002/2016GL071772,
- Trubl, G., Solonenko, N., Chittick, L., Solonenko, S.A., Rich, V.I. and Sullivan, M.B., 2016. Optimization of viral resuspension methods for carbon-rich soils along a permafrost thaw gradient. *PeerJ*, **4**, p.e1999
- Wik, M. (2016). Emission of methane from northern lakes and ponds. PhD Thesis. Department of Geological Sciences. Stockholm University. Meddelanden från Stockholms universitets institution för geologiskavetenskaper No 361.
- Wik, M., B.F. Thornton, D. Bastviken, J. Uhlbäck and P.M. Crill (2016). Biased sampling of methane release from northern lakes: a problem for extrapolation. *Geophysical Research Letters* **43**, 1256-1262, doi:10.1002/2015GL066501.

Stordalen Mire Bibliography

Wik M., Varner R.K., Walter-Anthony K., MacIntyre S., and Bastviken D. (2016): Climate-sensitive northern lakes and ponds are critical components of methane release. *Nature Geoscience*, 9:99-105, DOI:10.1038/ngeo2578.

2017

Chaudhary, Nitin (2017). Peatland dynamics in response to past and potential future climate change : A regional modelling approach. PhD Thesis. Department of Physical Geography and Ecosystem Analysis. Lund University. <http://lup.lub.lu.se/record/adfb11ee-7719-4337-9d03-4ccd03fbbef5>.

Chaudhary, N., P.A. Miller and B. Smith (2017). Modelling Holocene peatland dynamics with an individual-based dynamic vegetation model. *Biogeosciences*, 14: 2571–2596, doi:10.5194/bg-14-2571-2017.

Deng, J., C.K. McCalley, S. Frohling, J. Chanton, P.M. Crill, R. Varner, G. Tyson, V. Rich, M. Hines, S.R. Saleska and C.S. Li (2017). Adding Stable Carbon Isotopes Improves Model Representation of the Role of Microbial Communities in Peatland Methane Cycling. *Journal of Advances in Modeling Earth Systems* doi: 10.1002/2016MS000817.

Fisher, R.E., J.L. France, D. Lowry, M. Lanoisellé, R. Brownlow, J.A. Pyle, M. Cain, N. Warwick, U.M. Skiba, J. Drewer, K.J. Dinsmore, S.R. Leeson, S. J.-B. Bauguitte, A. Wellpott, S.J. O'Shea, G. Allen, M.W. Gallagher, J. Pitt, C.J. Percival, K. Bower, C. George, G.D. Hayman, T. Aalto, A. Lohila, M. Aurela, T. Laurila, P.M. Crill, C.K. McCalley and E.G. Nisbet (2017). Measurement of the ¹³C isotopic signature of methane emissions from northern European wetlands. *Global Biogeochemical Cycles*, 31, doi: 10.1002/2016GB005504.

Galka, M., Szal, M., Watson, E. J., Gallego-Sala, A., Amesbury, M. J., Charman, D. J., Roland, T. P., Edward Turner, T., and Swindles, G. T. (2017) Vegetation Succession, Carbon Accumulation and Hydrological Change in Subarctic Peatlands, Abisko, Northern Sweden. *Permafrost and Periglacial Processes*, doi: 10.1002/ppp.1945.

Garnello, A. J. (2017). Establishing the role of digital repeat photography in understanding phenology and carbon cycling in a subarctic peatland. MSc thesis. University of Arizona, Tucson, AZ. Doi: <http://repository.arizona.edu/handle/10150/624140>

Jammet, M., S. Dengel, E. Kettner, F.-J. W. Parmentier, M. Wik, P. Crill, and T. Friborg (2017). Year-round CH₄ and CO₂ flux dynamics in two contrasting freshwater ecosystems of the subarctic. *Biogeosciences*, doi 10.5194/bg2016-466.

Keuper, F., E. Dorrepaal, P.M. van Bodegom, R. van Logtestijn, G. Venhuizen, J. van Hal and R. Aerts (2017). Experimentally increased nutrient availability at the permafrost thaw front selectively enhances biomass production of deep-rooting subarctic peatland species. *Global Change Biology*: doi.org/10.1111/gcb.13804

Krüger, J. P., Conen, F., Leifeld, J., and Alewell, C. (2017) Palsa Uplift Identified by Stable Isotope Depth Profiles and Relation of δ¹⁵N to C/N Ratio. *Permafrost and Periglacial Processes*, 28: 485–492. doi: 10.1002/ppp.1936.

Meyer-Jacob, C., R. Bindler, C. Bigler, M.J. Leng, S.E. Lowick and H. Vogel (2017). Regional Holocene climate and landscape changes recorded in the large subarctic lake Torneträsk, N Fennoscandia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 487: 1–14. doi:10.1016/j.palaeo.2017.08.001.

Mondav, R., C.K. McCalley, S.B. Hodgkins, S. Frohling, S.R. Saleska, V.I. Rich, J.P. Chanton and P.M. Crill (2017). Microbial network, phylogenetic diversity and community

Stordalen Mire Bibliography

membership in the active layer across a permafrost thaw gradient. *Environmental Microbiology* doi: 10.1111/1462-2920.13809.

Normand, A. E., A. N. Smith, M. W. Clark, J. R. Long, and K. R. Reddy (2017). Chemical Composition of Soil Organic Matter in a Subarctic Peatland: Influence of Shifting Vegetation Communities. *Soil Science Society of America Journal* 81:41-49. doi:10.2136/sssaj2016.05.0148

Saunois, M, P. Bousquet, and others (2017). Variability and quasi-decadal changes in the methane budget over the period 2000-2012. *Atmospheric Physics and Chemistry* 17: 11135-11161 doi: 10.5194/acp-2017-296.

Wilson, R.M., M.M. Tfaily, V.I. Rich, J.K. Keller, S.D. Bridgham, C. Medvedeff, L. Meredith, P.J. Hanson, M. Hines, L. Pfeifer-Meister, S.R. Saleska, P. Crill, W.T. Cooper, J.P. Chanton, and J.E. Kostka (2017). Hydrogenation of Organic Matter as a Terminal Electron Sink Sustains High CO₂:CH₄ Production Ratios During Anaerobic Decomposition. *Organic Geochemistry*, 112: 22-32, doi: 10.1016/j.orggeochem.2017.06.011.

2018

Boyd, J.A., B.J. Woodcroft and G.W. Tyson (2018). GraftM: a tool for scalable, phylogenetically informed classification of genes within metagenomes. *Nucleic Acids Research*, gky174, doi.org/10.1093/nar/gky174.

Chaudhary, N., Miller, P.A. & Smith, B. (2018). Biotic and Abiotic Drivers of Peatland Growth and Microtopography: A Model Demonstration. *Ecosystems* 21, 1196–1214 <https://doi.org/10.1007/s10021-017-0213-1>

Emerson, J., S. Roux, J. Brum, B. Bolduc, B. Woodcroft, H.B. Jang, C. Singleton, L. Solden, A. Naas, J. Boyd, S. Hodgkins, R. Wilson, G. Trubl, S. Frolking, C-S Li, P. Pope, K. Wrighton, P. Crill, J. Chanton, S. Saleska, G. Tyson, V. Rich, and M. Sullivan (2018). Host-linked soil viral ecology along a permafrost thaw gradient. *Nature: Microbiology* doi: 10.1038/s41564-018-0190-y.

Daniela Franz, Manuel Acosta, Núria Altimir and 127 others (Yes, I think it's a record) (2018). Towards long-term standardised carbon and greenhouse gas observations for monitoring Europe's terrestrial ecosystems: a review. *International Agrophysics Journal*, 32; 439-455, doi: 10.1515/intag-2017-0039.

DelGreco, Jessica, (2018). Four Years of Unmanned Aerial System Imagery Reveals Vegetation Change in a Sub-Arctic Mire Due to Permafrost Thaw. University of New Hampshire MSC thesis. 1216. <https://scholars.unh.edu/thesis/1216>.

Gålfalk, M., M. Karlson, P. Crill, P. Bousquet and D. Bastviken (2018). Technical note: A simple approach for efficient collection of field reference data for calibrating remote sensing mapping of northern wetlands. *Biogeosciences*. doi: 10.5194/bg-2017-445.

Hodgkins, S.B., C. J. Richardson, R. Dommain, H. Wang, P. H. Glaser, B. Verbeke, B. R. Winkler, N. Flanagan, M. Missilmani, M. Ho, A. Hoyt, C. F. Harvey, A.R. Cobb, S. R. Vining, M. A. Hough, F. B. De La Cruz, J. Toufaily, R. Hamdan, W. T. Cooper and J. P. Chanton (2018). Tropical peatland carbon storage linked to global latitudinal trends in peat chemistry. *Nature Communications*, doi: 10.1038/s41467-018-06050-2.

Kuhn, M., E.J. Lundin, R. Giesler, M. Johansson and J. Karlsson (2018). Emissions from thaw ponds largely offset the carbon sink of northern permafrost wetlands. *Scientific Reports* 8: 9535-9542, doi:10.1038/s41598-018-27770-x.

Stordalen Mire Bibliography

- Malhotra, A., T.R. Moore, J. Limpens and N.T. Roulet (2018). Post-thaw variability in litter decomposition best explained by microtopography at an ice-rich permafrost peatland. *Arctic, Antarctic and Alpine Research*, doi: 10.1080/15230430.2017.1415622.
- Montagnani L., Grünwald T., Kowalski A., et al., (2018). Estimating the storage term in eddy covariance measurements: the ICOS methodology. *International Agrophysics Journal*, 32: 551-567.
- Mzobe, P., M. Berggren, P. Pilesjö, E. Lundin, D. Olefeldt, N.T. Roulet and A. Persson. (2018). Dissolved organic carbon in streams within a subarctic catchment analysed using a GIS/remote sensing approach. *PLoS ONE* 13(7):e0199608. Doi: 10.1371/journal.pone.0199608.
- Nemitz E., Mammarella I., Ibrom A., et al., (2018). Standardisation of eddy-covariance flux measurements of methane and nitrous oxide. *International Agrophysics Journal*, 32: 517-549.
- Op de Beeck M., Gielen B., Merbold L., et al., (2018). Soil meteorological measurements at ICOS monitoring stations in terrestrial ecosystems. *International Agrophysics Journal*, 32, 619-631.
- Palace, M., C. Herrick, J. DelGreco, D. Finnell, A.J. Garnello, C. McCalley, K. McArthur, F. Sullivan and R.K. Varner (2018). Determining Subarctic Peatland Vegetation Using an Unmanned Aerial System (UAS). *Remote Sensing*, 10, 1498, doi:10.3390/rs10091498
- Pavelka, M., M. Acosta, R. Kiese and 25 others (2018). Standardisation of chamber technique for CO₂, N₂O and CH₄ fluxes measurements from terrestrial ecosystems. *Int. Agrophys. International Agrophysics Journal*, 2018, 32, 569-587, doi: 10.1515/intag-2017-0045.
- Pokrovsky, O.S., J. Karlsson and R. Giesler (2018). Freeze-thaw cycles of Arctic thaw ponds remove colloidal metals and generate low-molecular-weight organic matter. *Biogeochemistry* 137:321–336, doi: 10.1007/s10533-018-0421-6.
- Rebmann C., Aubinet M., Schmid H.P., et al., (2018). ICOS eddy covariance flux-station site setup. *International Agrophysics Journal*, 32: 471-494.
- Sabbatini S., Mammarella I., Arriga N., et al., (2018). Eddy covariance raw data processing for CO₂ and energy fluxes calculation at ICOS ecosystem stations. *International Agrophysics Journal*, 32: 495-515.
- Saunders M., Dengel S., Kolari P., et al., (2018). Assessing the impacts of site characteristics, management, disturbance and lateral fluxes on greenhouse gas dynamics. *International Agrophysics Journal*, 32; 457-469.
- Siewert, M.B. (2018). High-resolution digital mapping of soil organic carbon in permafrost terrain using machine learning: a case study in a sub-Arctic peatland environment. *Biogeosciences*, 15: 1663–1682, doi: 10.5194/bg-15-1663-2018.
- Singleton, C. (2018). Microbial community structural and metabolic dynamics in thawing permafrost. PhD thesis, School of Chemistry and Molecular Biosciences, University of Queensland, Australia doi: 10.14264/uql.2018.815
- Singleton, C., C. McCalley, B. Woodcroft, J. Boyd, P. Evans, S. Hodgkins, J. Chanton, S. Frolking, P. Crill, S. Saleska, V. Rich and G. Tyson. (2018). Methanotrophy across a natural

Stordalen Mire Bibliography

permafrost thaw environment. *International Society of Microbial Ecology Journal*, doi: 10.1038/s41396-018-0065-5.

Trubl, G. (2018). Pioneering Soil Viromics to Elucidate Viral Impacts on Soil Ecosystem Services. Ph.D. thesis, Department of Microbiology, The Ohio State University, Columbus, OH, USA.

Trubl, G, Jang HB, Roux S, Emerson JB, Solonenko N, Vik DR, Solden L, Ellenbogen J, Runyon AT, Bolduc B, Woodcroft BJ, Saleska SR, Tyson GW, Wrighton KC, Sullivan MB, Rich VI. (2018). Soil viruses are underexplored players in ecosystem carbon processing. *mSystems*, 3:e00076-18. Doi: 10.1128/mSystems.00076-18.

Wik, M, J.E. Johnson, P.M. Crill, J.P. DeStasio, L. Erickson, M.J. Halloran, M.F. Fahnstock, M.K. Crawford, S.C. Phillips and R.K. Varner (2018). Sediment characteristics and methane ebullition in three subarctic lakes, *Journal of Geophysical Research: Biogeosciences*, doi: 10.1002/2017JG004298

Wilson, R. M., and M.M. Tfaily. (2018). Advanced molecular techniques provide new rigorous tools for characterizing organic matter quality in complex systems. *Journal of Geophysical Research: Biogeosciences*, 123, 1790–1795. <https://doi.org/10.1029/2018JG004525>

Woodcroft, B.J, C.M. Singleton, J.A. Boyd, P.N. Evans, R.D. Hoelzle, T.O. Lambertson, C.K. McCalley, S.B. Hodgkins, R.M. Wilson, C-S Li, S. Frolking, J.P. Chanton, P.M. Crill, S.R. Saleska, V.I. Rich, G.W. Tyson (2018). Genome-centric view of carbon processing in thawing permafrost. *Nature*, doi 10.1038/s41586-018-0338-1.

2019

Bayer, T. K., Gustafsson, E., Brakebusch, M., & Beer, C. (2019). Future carbon emission from boreal and permafrost lakes are sensitive to catchment organic carbon loads. *Journal of Geophysical Research: Biogeosciences*, 124. doi.org: 10.1029/2018JG004978

Boyd, J. (2019). Development of meta omic tools to explore microbial carbon cycling PhD thesis, School of Chemistry and Molecular Biosciences, University of Queensland, Australia doi: 10.14264/uql.2020.747

Burke, S.A., M. Wik, A. Lang, A. R. Contosta, M. Palace, P. Crill and R. K. Varner (2019). Long term measurements of methane ebullition from thaw ponds. *Journal of Geophysical Research: Biogeosciences*, doi. 10.1029/2018JG004786.

Chang, K.-Y., W.J. Riley, E.L. Brodie, C.K. McCalley, P.M. Crill and R.F. Grant (2019). Methane production pathway regulated proximally by substrate availability and distally by temperature in a high-latitude mire complex. *Journal of Geophysical Research: Biogeosciences*, doi: 10.1029/2019JG005355.

Chang, K-Y, W.J. Riley, P.M. Crill, R.F. Grant, V.I. Rich and S.R. Saleska (2019). Large carbon cycle sensitivities to climate across a permafrost thaw gradient in subarctic Sweden. *The Cryosphere*, 13: 647-663, doi: 10.5194/tc-13-1-2019.

Cooper, C.L., G.T. Swindles, E.J. Watson, I.P. Savov, M. Gałka, A. Gallego-Sala and W. Borken (2019). Evaluating tephrochronology in the permafrost peatlands of northern Sweden. *Quaternary Geochronology* 50: 16-28, doi: 10.1016/j.quageo.2018.11.001.

Stordalen Mire Bibliography

- Evans, P. N., Boyd, J. A., Leu, A. O., Woodcroft, B. J., Parks, D. H., Hugenholtz, P., & Tyson, G. W. (2019). An evolving view of methane metabolism in the Archaea. *Nature Reviews Microbiology*, *17*, 219–232. <https://doi.org/10.1038/s41579-018-0136-7>
- Fahnestock, M.F.; J.G Bryce, C.K. McCalley, M. Montesdeoca, S. Bai, Y. Li, C.T. Driscoll, P.M Crill, V.I. Rich and R.K. Varner (2019). Mercury reallocation in thawing subarctic peatlands. *Geochemical Perspectives Letters* *11*, 33-38 doi: 10.7185/geochemlet.1922.
- Jansen, J., B.F. Thornton, M.M. Jammet, M. Wik, A. Cortés, T. Friborg, S. MacIntyre and P.M. Crill (2019). Climate-sensitive controls on large spring emissions of CH₄ and CO₂ from northern lakes. *Journal of Geophysical Research: Biogeosciences*, doi: 10.1029/2019JG005094
- Harder, S. (2019). Variations in carbon dioxide and energy fluxes in a subarctic peatland with thawing permafrost. PhD thesis, Department of Geography, McGill University, Canada <https://escholarship.mcgill.ca/concern/theses/sq87bz69g>
- Hyppölä. R. (2019). Response of permafrost peatlands to past and recent warming: case studies from Swedish Lapland. MSc Thesis. Faculty of Biological and Environmental Sciences, University of Helsinki, Finland. <http://hdl.handle.net/10138/310628>.
- Karlson, M..M. Gålfalk, P. Crill, P. Bousquet, M. Saunois and D. Bastviken (2019). Delineating northern peatlands using Sentinel-1 time series and terrain indices from local and regional digital elevation models. *Remote Sensing of the Environment* *231*: doi: RSE-D-18-01314R2.
- Martinez, M.A., B.J. Woodcroft, J.C. Ignacio Espinoza, A.A. Zayed, C.M. Singleton, J.A. Boyd, Y.F. Li, S. Purvine, H. Maughan, S.B. Hodgkins, D. Anderson, M. Sederholm, B. Temperton, B. Bolduc, IsoGenie Project Coordinators, S.R. Saleska, G.W. Tyson, V.I. Rich (2019). Discovery and ecogenomic context of a global *Caldiserica*-related phylum active in thawing permafrost, *Candidatus* Cryoserica phylum nov., *Ca. Cryoserica* class nov., *Ca. Cryosericales* ord. nov., *Ca. Cryoseriaceae* fam. nov., comprising the four species *Cryosericum septentrionale* gen. nov. sp. nov., *Ca. C. hinesii* sp. nov., *Ca. C. odellii* sp. nov., *Ca. C. terrychapinii* sp. nov. *Systematic and Applied Microbiology*, *42*: 54–66, doi: 10.1016/j.syapm.2018.12.003.
- Tfaily, M. M., Wilson, R. M., Brewer, H. M., Chu, R. K., Heyman, H. M., Hoyt, D. W., Kyle, J. E., & Purvine, S. O. (2019). Single-throughput complementary high-resolution analytical techniques for characterizing complex natural organic matter mixtures. *Journal of Visualized Experiments*, *143*. <https://doi.org/10.3791/59035>
- Trubl G, S. Roux.,N. Solonenko, Y-F Li, B Bolduc, J Rodríguez-Ramos, EA Eloë-Fadrosh, VI Rich and MB Sullivan (2019). Towards optimized viral metagenomes for double-stranded and single-stranded DNA viruses from challenging soils. *PeerJ* *7*:e7265, doi: 10.7717/peerj.7265.
- Wilson RM, Neumann RB, Crossen KB, Raab NM, Hodgkins SB, Saleska SR, Bolduc B, Woodcroft BJ, Tyson GW, Chanton JP and Rich VI (2019) Microbial Community Analyses Inform Geochemical Reaction Network Models for Predicting Pathways of Greenhouse Gas Production. *Frontiers of Earth Science* *7*:59. doi:10.3389/feart.2019.00059
- 2020**
- AminiTabrizi R, Wilson RM, Fudyma JD, Hodgkins SB, Heyman HM, Rich VI, Saleska SR, Chanton JP and Tfaily MM (2020). Controls on Soil Organic Matter Degradation and Subsequent Greenhouse Gas Emissions Across a Permafrost Thaw Gradient in Northern

Stordalen Mire Bibliography

Sweden. *Frontiers of Earth Science* 8:557961. doi: 10.3389/feart.2020.557961

Bolduc B, Hodgkins SB, Varner RK, Crill PM, McCalley CK, Chanton JP, Tyson GW, Riley WJ, Palace M, Duhaime MB, Hough MA, Saleska SR, Sullivan MB, Rich VI. (2020). The IsoGenie database: an interdisciplinary data management solution for ecosystems biology and environmental research. *PeerJ* 8: 9467, doi: 10.7717/peerj.9467

Boyd, J. A. (2020). Development of meta omic tools to explore microbial carbon cycling. PhD Thesis. The University of Queensland, Brisbane, QLD, Australia.
<https://doi.org/10.14264/uql.2020.747>

Burke, S. (2020). Investigating the spatial and temporal scale variability of ebullitive flux from a subarctic thaw pond system. PhD Dissertation. University of New Hampshire, Durham, NH. <https://scholars.unh.edu/dissertation/2499>

Chadburn, S. E., Aalto, T., Aurela, M., Baldocchi, D., Biasi, C., Boike, J., E, Comyn-Platt, A. J. Dolman, C. Duran-Rojas, Y. Fan, T. Friborg, Y. Gao, N. Gedney, M. Göckede, G.D. Hayman, D. Holl, G. Hugelius, L. Kutzbach, H. Lee, A Lohila, F.-J. W. Parmentier, T. Sachs, N.J. Shurpali and S. Westermann (2020). Modeled microbial dynamics explain the apparent temperature sensitivity of wetland methane emissions. *Global Biogeochemical Cycles*, 34, e2020GB006678. doi: 10.1029/2020GB006678

Chang, K.-Y., Riley, W. J., Crill, P. M., Grant, R. F., and Saleska, S. R. (2020) Hysteretic temperature sensitivity of wetland CH₄ fluxes explained by substrate availability and microbial activity, *Biogeosciences*, 17, 5849–5860, doi:10.5194/bg-17-5849-2020.

Douglas, P.M.J., R.G. Moguel, K.M. Walter Anthony, M. Wik, P.M. Crill, K.S. Dawson, D.A. Smith, E. Yanay, M.K. Lloyd, D.A. Stolper, J.M. Eiler and A.L. Sessions (2020). Clumped isotopes link older carbon substrates with slower rates of methanogenesis in northern lakes. *Geophysical Research Letters* doi: 10.1029/2019GL086756.

Hough, M. A. (2020). Tracing the new carbon cycle from plant inputs to microbial outputs across an arctic permafrost thaw gradient. PhD Dissertation. University of Arizona, Tucson, AZ. Doi; <https://repository.arizona.edu/handle/10150/641681>

Hough M, McClure A, Bolduc B, Dorrepaal E, Saleska S, Klepac-Ceraj V and Rich V (2020). Biotic and Environmental Drivers of Plant Microbiomes Across a Permafrost Thaw Gradient. *Frontiers in Microbiology* 11:796. doi: 10.3389/fmicb.2020.00796

Jansen, J. (2020). Carbon trace gas dynamics in subarctic lakes. PhD Thesis. Department of Geological Sciences. Stockholm University. Meddelanden från Stockholms universitets institution för geologiskavetenskaper No 379.

Jansen, J., Thornton, B. F., Cortes, A., Snöälv, J., Wik, M., MacIntyre, S., and Crill, P. M. (2020). Drivers of diffusive lake CH₄ emissions on daily to multi-year time scales, *Biogeosciences*, 17, 1911–1932, doi: 10.5194/bg-17-1911-2020

Jansen, J., M. Wik, B.F. Thornton, S. MacIntyre and P.M. Crill (2020). Temperature proxies as a solution to biased sampling of lake methane emissions. *Geophysical Research Letters* doi: 10.1029/2020GL088647

Kuhry, P., Báarta, J., Blok, D., Elberling, B., Faucherre, S, Hugelius, G., Jørgensen, C.J., Richter, A., Šantrůčková, H. and Weiss, (2020). Lability classification of soil organic matter in the northern permafrost region, *Biogeosciences* 17: 361–379, DOI: 10.5194/bg-17-361-2020.

Stordalen Mire Bibliography

- Levy, P., J. Drewer, M. Jammet, S. Leeson, T. Friberg, U. Skiba and M. van Oijen (2020). Inference of spatial heterogeneity in surface fluxes from eddy covariance data: A case study from a subarctic mire ecosystem. *Agriculture and Forest Meteorology* **280**, doi: 10.1016/j.agrformet.2019.107783
- Patzner, M.S., C.W. Mueller, M. Malusova, M. Baur, V. Nikeleit, J.M. Byrne, A. Kappler and C. Bryce (2020). Iron mineral dissolution releases iron and associated organic carbon during permafrost thaw. *Nature Communications* **11**, doi: 10.1038/s41467-020-20102-6
- Payandi-Rolland, D., L. Shirokova, M. Tesfa, P. Bénézeth, A.G. Lim, D. Kuzmin, J. Karlsson, R. Giesler and O.S. Pokrovsky (2020). Dissolved organic matter biodegradation along a hydrological continuum in permafrost peatlands. *Science of the Total Environment*, **749**, 141463, doi: 10.1016/j.scitotenv.2020.141463
- Perryman, C.R., C.K. McCalley, A. Malhotra, M.F. Fahnstock, N.N. Kashi, J.G. Bryce, R. Giesler and R.K. Varner (2020). Thaw Transitions and Redox Conditions Drive Methane Oxidation in a Permafrost Peatland. *Journal of Geophysical Research: Biogeosciences*, doi: 10.1029/2019JG005526.
- Seco, R., T. Holst, M.S. Matzen, A. Westergaard-Nielsen, T. Li, T. Simin, J. Jansen, P. Crill, T. Friberg, J. Rinne and R. Rinnan (2020). Volatile Organic Compound fluxes in a subarctic peatland and lake. *Atmospheric Chemistry and Physics*, doi 10.5194/acp-20-13399-2020.
- Thanh Duc, N., Silverstein, S., Wik, M., Crill, P., Bastviken, D., and Varner, R. K. (2020). Technical note: Greenhouse gas flux studies: an automated online system for gas emission measurements in aquatic environments, *Hydrology and Earth System Science*, **24**, 3417–3430, doi: 10.5194/hess-24-3417-2020.
- Wik, M., B.F. Thornton, R.K. Varner, C. McCalley and P.M. Crill (2020). Stable methane isotopologues from northern lakes suggest ebullition is dominated by sub-lake scale processes. *Journal of Geophysical Research: Biogeosciences*, doi. 10.1029/2019JG005601.
- 2021**
- Crill P, M, Wik, J. Jansen (2021). Temperatures in subarctic lakes on the Stordalen Mire, Abisko, Northern Sweden. Dataset version 4.0. Bolin Centre Database. <https://doi.org/10.17043/stordalen-lake-temperature-4>
- Emerson, J.B., R.K. Varner, M. Wik, D.H. Parks, R.B. Neumann, J.E. Johnson, C.M. Singleton, B.J. Woodcroft, R. Tollerson II, A. Owusu-Dommey, M. Binder, N.L. Freitas, P. M. Crill, S.R. Saleska, G.W. Tyson and V.I. Rich (2021). Diverse sediment microbiota shape methane emission temperature sensitivity in Arctic lakes. *Nature Communications* **12**, 5815. doi: 10.1038/s41467-021-25983-9
- Hough, M.A., S. McCabe, S.R. Vining, E.P. Pedersen, R.M. Wilson, R. Lawrence, K.-Y. Chang, G.I. Bohrer, The IsoGenie Coordinators, W. Riley, P. Crill, R.K. Varner, S.J. Blazewicz, E. Dorrepaal, M.M. Tfaily, S.R. Saleska and V. Rich (2021). Coupling plant litter quantity to a novel metric for litter quality explains C storage changes in a thawing permafrost peatland. *Global Change Biology* DOI: 10.1111/gcb.15970
- Łakomiec P, J Holst, T Friberg, P Crill, N Rakos, N Kljun, P-O Olsson, L Eklundh, and J Rinne (2021). Field-scale CH₄ emission at a sub-arctic mire with heterogeneous permafrost thaw status. *Biogeosciences*. **18**, 5811–5830, doi: 10.5194/bg-18-5811-2021.

Stordalen Mire Bibliography

- Patzner, M.S. (2021), Microbial iron cycling in permafrost peatlands affected by global warming. PhD Dissertation. Department of Geosciences, Eberhard-Karls-University Tübingen, Germany. doi: <http://dx.doi.org/10.15496/publikation-62452>
- Sim, TG, GT Swindles, PJ Morris, AJ Baird, CL Cooper, AV Gallego-Sala, DJ Charman, TP Roland, W Borken, DJ Mullan, MA Aquino-López and M Gałka (2021). Divergent responses of permafrost peatlands to recent climate change. *Environmental Research Letters*. 16, <https://doi.org/10.1088/1748-9326/abe00b>
- Varner RK, PM Crill, S Frolking, CK McCalley, SA Burke, JP Chanton, ME Holmes, IsoGenie Project Coordinators, S Saleska and MW Palace (2021). Permafrost thaw driven changes in hydrology and vegetation cover increase trace gas emissions and climate forcing in Stordalen Mire from 1970-2014. *Philosophical Transactions of the Royal Society A*. 380: 20210022. <https://doi.org/10.1098/rsta.2021.0022>
- Wilson RM, Zayed AA, Crossen KB, Woodcroft B, Tfaily MM, Emerson J, Raab N, Hodgkins SB, Verbeke B, Tyson G, Crill P, Saleska S, Chanton JP, Rich VI, IsoGenie Project Coordinators, IsoGenie Project Field Team (2021). Functional capacities of microbial communities to carry out large scale geochemical processes are maintained during ex situ anaerobic incubation. *PLoS ONE* 16(2): e0245857. doi: 10.1371/journal.pone.0245857
- Zinke, L. A., Evans, P. N., Santos-Medellín, C., Schroeder, A. L., Parks, D. H., Varner, R. K., Rich, V. I., Tyson, G. W., and Emerson, J. B. (2021). Evidence for non-methanogenic metabolisms in globally distributed archaeal clades basal to the *Methanomassiliicoccales*. *Environmental Microbiology*, 23, 340–357. <https://doi.org/10.1111/1462-2920.15316>
- 2022**
- Cory AB, Chanton JP, Spencer RGM, Ogles OC, Rich VI, McCalley CK, IsoGenie Project Coordinators, EMERGE 2021 Field Team and Wilsonet RM. (2022). Quantifying the inhibitory impact of soluble phenolics on anaerobic carbon mineralization in a thawing permafrost peatland. *PLoS ONE* 17(2): e0252743. <https://doi.org/10.1371/journal.pone.0252743>
- Holmes, M. E., P. M. Crill , W. C. Burnett , C. K. McCalley , R. M. Wilson , S. Frolking, K.-Y. Chang, W. J. Riley, R. K. Varner, S. B. Hodgkins, IsoGenie Project Coordinators, IsoGenie Field Team, V. I. Rich, S. R. Saleska, J. P. Chanton. (2022). Carbon accumulation, flux, and fate in Stordalen Mire, a permafrost peatland in transition. *Global Biogeochemical Cycles*, 36, e2021GB007113. <https://doi.org/10.1029/2021GB007113>
- Wilson, R.M., M.A. Hough, B.A. Verbeke, S.B. Hodgkins, G. Tyson, M.B. Sullivan, E. Brodie, W.J. Riley, B. Woodcroft, C. McCalley, S.C. Dominguez, P.M. Crill, R.K. Varner, S. Frolking, W.T. Cooper, J.P. Chanton, S.D. Saleska, V.I. Rich and M.M. Tfaily, (2022). Plant organic matter inputs exert a strong control on soil organic matter decomposition in a thawing permafrost peatland, *Science of The Total Environment*, 820, <https://doi.org/10.1016/j.scitotenv.2021.152757>.